



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

---

---

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

---

---

**Product Name:** KT 1261C

**Synonyms:** Alkylarylsulfonic acid in aromatic hydrocarbon

**CAS Number:** Mixture

**Chemical Formula:** Mixture

**General Use:** Various

**Manufacturer:** KMCO, 16503 Ramsey Road, Crosby, Texas 77532

**24-HOUR EMERGENCY NUMBER - CHEMTREC: 1-800-424-9300**

**KMCO PHONE:** (281) 328-3501

**FAX:** (281) 328-9528

**Restrictions on Use:** For Industrial Use Only

---

---

**SECTION 2: HAZARD(S) IDENTIFICATION**

---

---

**Hazard Classification:**

**OSHA Hazards:** Flammable Liquid, Corrosive Liquid

**Target Organs:** Central Nervous System, Kidney, Liver, Blood, Adrenal Gland, Spleen, Thymus, Teeth, Cardiovascular System, Respiratory System

**GHS Classification:**

- Acute toxicity, oral (Category 5)
- Acute toxicity, inhalation (Category 4)
- Skin corrosion / irritation (Category 1)
- Serious eye damage / eye irritation (Category 1)
- Germ cell mutagenicity (Category 1)
- Carcinogenicity (Category 1)
- Specific target organ toxicity (Category 3)
- Aspiration hazard (Category 1)
- Flammable liquid (Category 3)
- Acute aquatic toxicity (Category 2)

**Signal Word:** DANGER



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0



**Hazard Statements:**

H226	Flammable liquid and vapors
H332	Harmful if inhaled
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H340	May cause genetic defects
H350	May cause cancer
H335	May cause respiratory irritation
H304	May be fatal if swallowed and enters airways
H401	Toxic to aquatic life

**Precautionary Statements:**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat / sparks / open flames / hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground / bond container and receiving equipment.
P241	Use explosion-proof electrical / ventilating / lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dusts or mists.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

P301 + P310	IF SWALLOWED: Immediately call a POSION CENTER or doctor / physician.
P303 + P361 + P353	IF ON SKIN: Remove / take off immediately all contaminated clothing. Rinse skin with water / shower.
P363	Wash contaminated clothing before reuse.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312	Call a POISON CENTER or doctor / physician if you feel unwell.
P308 + P313	If exposed or concerned: Get medical advice / attention.
P370	In case of fire: Use dry chemical, foam or carbon dioxide for extinction.
P273	Avoid release to the environment.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

10% - 50% of the mixture consists of ingredients of unknown acute toxicity

**HMIS Classification**

Health hazard:	3
Chronic Health Hazard	*
Flammability	2
Physical hazards	1

**NFPA Rating**

Health hazard:	3
Fire:	2
Reactivity	1

**Description of Any Other Hazards Not Otherwise Classified:** none known

---

---

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

---

---

%wt. or



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

**INGREDIENT Name:**

**CAS NUMBER**

**%v**

Light Aromatic Solvent Naphtha	64742-95-6	35 – 70
Alkylarylsulfonic Acid, Amine Salt	Trade Secret	10 – 50
Alkylarylsulfonic Acid	Trade Secret	10 – 25
Alkylarylhydrocarbon	Trade Secret	5 – 15
1,2,4 – Trimethylbenzene	95-63-6	5 – 30
Cyclohexylamine Salt of Sulfuric Acid	19834-02-7	0 – 8

25 - 90% of the composition of this material has been withheld as a trade secret” must be stated here as required by OSHA 1910.1200 App. D.

---

---

**SECTION 4: FIRST AID MEASURES**

---

---

**EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing.

**SKIN:** Remove / take off immediately all contaminated clothing. Rinse skin with water / shower.

**INGESTION:** Immediately call a POISON CENTER or doctor / physician. Do NOT induce vomiting.

**INHALATION:** Remove victim to fresh air and keep at rest in a comfortable breathing position.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** Treatment should be directed at the control of symptoms and the clinical condition of the patient.

---

---

**SECTION 5: FIRE-FIGHTING MEASURES**

---

---

**SUITABLE EXTINGUISHING MEDIA:** Dry chemical, foam or carbon dioxide. Water spray may be used to keep fire exposed containers cool, dilute spills to nonflammable mixtures, protect personnel attempting to stop leak, and disperse vapors.

**UNSUITABLE EXTINGUISHING MEDIA:** Direct water stream.

**SPECIAL FIRE FIGHTING PROCEDURES:** Evacuate area. Do not use direct water stream to extinguish fires. Product may travel with water and reignite. Vapors can flow along surfaces to distant



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

ignition source and flash back. Do not release runoff from fire control methods to sewers or waterways.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Above flash point, vapor-air mixtures may be explosive. Contact with strong oxidizers may cause fire. Containers may explode when involved in a fire. Sensitive to static discharge.

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, and unidentified organic compounds.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS:** Wear full protective clothing and NIOSH – approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive breathing mode.

---

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

---

**PERSONAL PRECAUTIONS:** Use appropriate personal protective equipment. Avoid breathing vapors, mist or gas. Avoid contact with spilled material. Insure adequate ventilation. Remove all sources of ignition. Use non-sparking tools and equipment.

**PROTECTIVE CLOTHING:** Standard work uniform. Impervious gloves. Safety glasses. Personnel should increase PPE level as deemed appropriate in any given situation.

### EMERGENCY PROCEDURES:

**SMALL SPILLS:** Contain and recover liquid when possible. Collect liquid in appropriate container or absorb with an inert material (such as vermiculite or dry sand) and place in chemical waste container. Do not use combustible materials such as sawdust for the cleanup.

### LARGE SPILLS:

**Containment:** Shut off source of leak if safe to do so. Dike far ahead of liquid spill for later disposal. Do not allow material to enter sewers or waterways.

**Cleanup:** Contain and recover liquid when possible. Collect liquid in appropriate container. Absorb residue with an inert material (such as vermiculite or dry sand) and place in chemical waste container. Do not use combustible materials such as sawdust for the cleanup.

---

---

## SECTION 7: HANDLING AND STORAGE

---

---



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

**HANDLING PRECAUTIONS:** Keep away from heat / sparks / open flames / hot surfaces. No smoking. Keep container tightly closed. Ground / Bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge

**STORAGE REQUIREMENTS:** Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

---

---

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

---

---

**ENGINEERING CONTROLS:** Controls should be such that adequate ventilation is provided.

**VENTILATION:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work place by controlling it at its source.

**RESPIRATORY PROTECTION:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA / NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or non-routine operations (e.g. cleaning spills, reactor vessels, or storage tanks), wear an SCBA. *Warning! Air purifying respirators do not protect workers in oxygen-deficient atmospheres.* If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

**EYE PROTECTION:** Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133) Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with, contact lenses.

**SKIN PROTECTION:** Wear chemically protective gloves, boots, aprons and gauntlets to prevent prolonged or repeated skin contact.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Make emergency eyewash stations, safety/quick drench showers and washing facilities available in work areas.

**WORK HYGIENIC PRACTICES:** Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material especially before eating, drinking, smoking, using the toilet, or



**KT 1261C**  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

**SDS No. 30196**

Revision: 0

applying cosmetics. Separate contaminate work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment. Discard belts and shoes that cannot be cleaned.

**EXPOSURE GUIDELINES:**

Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH IDLH
	TWA	STEL	TWA	STEL	TWA	STEL	
Light Aromatic Solvent Naphtha	300 ppm	400 ppm	300 ppm	none estab.	none estab.	none estab.	none estab.
Alkylarylsulfonic Acid, Amine Salt	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.
Alkylarylsulfonic Acid	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.
Alkylaryl hydrocarbon	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.
1,2,4,-Trimethylbenzene	25 ppm	125 ppm	25 ppm	none estab.	25 ppm	none estab.	10 mg/m3
Amine Salt of Sulfuric Acid	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.

---



---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

---



---

**PHYSICAL STATE:** liquid

**APPEARANCE AND COLOR:** dark reddish-brown

**ODOR:** aromatic

**FLASH POINT:** 124°F (51°C)

**UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:** not available

**AUTO IGNITION TEMPERATURE:** not available

**DECOMPOSITION TEMPERATURE:** not available



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

**SDS No.** 30196

Revision: 0

**VAPOR PRESSURE:** not available  
**ODOR THRESHOLD:** not available  
**VAPOR DENSITY (air = 1):** >1  
**pH:** 25% solution in water: <1  
**RELATIVE DENSITY:** not available  
**SPECIFIC GRAVITY (H<sub>2</sub>O =1 AT 4 C):** 0.96 – 1.00  
**MELTING POINT / FREEZING POINT:** not available  
**WATER SOLUBILITY:** partially soluble  
**OTHER SOLUBILITIES:** not available  
**INITIAL BOILING POINT AND BOILING RANGE:** not available  
**EVAPORATION RATE (BuAc = 1):** not available  
**PARTITION COEFFICIENT: n-OCTANOL/WATER:** not available  
**VISCOSITY:** not available  
**REFRACTIVE INDEX:** not available  
**FORMULA WEIGHT:** mixture

---

---

## SECTION 10: STABILITY AND REACTIVITY

---

---

**REACTIVITY:** none under normal handling

**STABILITY:** stable under normal storage and handling conditions

**CONDITIONS TO AVOID (STABILITY):** heat, flame, sparks, static accumulation

**INCOMPATIBILITY (MATERIAL TO AVOID):** oxidizing materials

**HAZARDOUS DECOMPOSITION BY-PRODUCTS:** Carbon monoxide, carbon dioxide, and unidentified organic compounds

**HAZARDOUS POLYMERIZATION:** Hazardous polymerization will not occur

**CONDITIONS TO AVOID (POLYMERIZATION):** Not applicable – hazardous polymerization will not occur

**HAZARDOUS POLYMERIZATION BY-PRODUCTS:** Not applicable – hazardous polymerization will not occur

---

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

---





KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** Headache, dizziness, fatigue, muscular weakness, drowsiness, and in extreme cases, loss of consciousness.

**ACUTE EFFECTS:**

**EYE CONTACT:** Causes serious eye damage. Exposure may cause irritation, conjunctivitis, severe burns, destruction of eye tissue, corneal injury, possible permanent injury or blindness

**SKIN CONTACT:** Causes skin irritation. Contact may cause reddening, itching inflammation, burns, blistering.

**INHALATION:** Harmful if inhaled. May cause severe burns and tissue damage to the respiratory tract and central nervous system effects.

**INGESTION:** May be fatal if swallowed and enters airways

**TARGET ORGAN EFFECTS:** May cause respiratory irritation

**CHRONIC EFFECTS:** Repeated exposure to this material may cause bronchitis, laryngitis, cardiac sensitization, and damage to the peripheral nerves. Cardiac sensitization can result in arrhythmia (irregular heartbeat) and death due to cardiac arrest.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing disorders of the kidney, liver, blood, skin, respiratory system, cardiovascular system, and central nervous system may be aggravated by exposure to this product.

**ACUTE TOXICITY VALUES:**

**Light Aromatic Solvent Naphtha**

**ORAL LD50 (rat):** 2300 mg/kg

**DERMAL LD50 (rabbit):** >2.0 mg/kg

**INHALATION LC50 (rat):** >.38 mg/m<sup>3</sup> – 4h

**Alkylarylsulfonic Acid, Amine Salt**

**ORAL LD50 (state animal):** data not available

**DERMAL LD50 (state animal):** data not available

**INHALATION LC50 (state animal):** data not available

**Alkylarylsulfonic Acid**

**ORAL LD50 (state animal):** data not available



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

**SDS No.** 30196

Revision: 0

**DERMAL LD50 (state animal):** data not available  
**INHALATION LC50 (state animal):** data not available

**Alkylaryl Hydrocarbon**

**ORAL LD50 (state animal):** data not available  
**DERMAL LD50 (state animal):** data not available  
**INHALATION LC50 (state animal):** data not available

**1,2,4-Trimethylbenzene**

**ORAL LD50 (rat):** 5,000 mg/kg  
**DERMAL LD50 (state animal):** data not available  
**INHALATION LC50 (rat):** 18,000 mg/m<sup>3</sup> – 4h

**Amine Salt of Sulfuric Acid**

**ORAL LD50 (state animal):** data not available  
**DERMAL LD50 (state animal):** data not available  
**INHALATION LC50 (state animal):** data not available

**LISTED CARCINOGEN:**

**NATIONAL TOXICOLOGY PROGRAM REPORT ON CARCINOGENS:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

**IARC LISTED AS POTENTIAL CARCINOGEN:** 2B – Group 2B: Possibly carcinogenic to humans

**OSHA LISTED AS POTENTIAL CARCINOGEN:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

---

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

---

**DATA FROM TOXICITY TESTS ON AQUATIC AND/OR TERRESTRIAL ORGANISMS:**

**Light Aromatic Solvent Naphtha**

Fish: data not available  
Daphnia: data not available



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

**SDS No.** 30196

Revision: 0

**Alkylarylsulfonic Acid, Amine Salt**

Fish: data not available

Daphnia: data not available

**Alkylarylsulfonic Acid**

Fish: data not available

Daphnia: data not available

**Alkylarylhydrocarbon**

Fish: data not available

Daphnia: data not available

**1,2,4-Trimethylbenzene**

Fish: LC50 – Pimephales promelas (fathead minnow) – 7.72 mg/l – 96h

Daphnia: EC50 – Daphna magna (water flea) – 3.6 mg/l – 48h

**Amine Salt of Sulfuric Acid**

Fish: data not available

Daphnia: data not available

**ENVIRONMENTAL FATE:** data not available

**BIOACCUMULATION POTENTIAL:** data not available

**POTENTIAL TO MOVE FROM SOIL TO GROUNDWATER:** data not available

**OTHER ADVERSE ENVIRONMENTAL EFFECTS:** data not available

---

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

---

**CONTAINERS TO USE:** no specific recommendations.

**RECOMMENDED DISPOSAL METHODS:** Whatever cannot be saved for recovery or recycling should be disposed of in an approved waste facility in accordance with Federal, State/Provincial and Local requirements.

**PHYSICAL AND CHEMICAL PROPERTIES THAT MAY AFFECT DISPOSAL ACTIVITIES:** no specific information available.



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

**WHENEVER POSSIBLE, MATERIAL SHOULD NOT BE ALLOWED TO ENTER SEWAGE DISPOSAL SYSTEMS.**

**SPECIAL PRECAUTIONS FOR LANDFILL OR INCINERATION ACTIVITIES:** no specific information available.

---

---

**SECTION 14: TRANSPORT INFORMATION**

---

---

**U.S. DEPARTMENT OF TRANSPORTATION (49 CFR 172.101)**

**PROPER SHIPPING NAME:** Flammable Liquid, Corrosive, N.O.S. (Solvent Naphtha, Alkylarylsulfonic Acid)

**HAZARD CLASS:** 3, (8)

**UN/NA NUMBER:** UN2924

**PACKING GROUP:** III

**LABELS REQUIRED:** Flammable Liquid, Corrosive, Marine Pollutant

**SPECIAL PROVISIONS (172.102):** B1, T15, T26

**PACKAGING AUTHORIZATIONS**

A) **EXCEPTIONS:** 173.150

B) **NON-BULK PACKAGING:** 173.203

C) **BULK PACKAGING:** 173.212

**QUANTITY LIMITATIONS:**

A) **PASSENGER AIRCRAFT OR RAILCAR:** 5 L

B) **CARGO AIRCRAFT ONLY:** 60 L

**VESSEL STOWAGE REQUIREMENTS**

A) **VESSEL STOWAGE:** A

B) **OTHER:** none

**IATA**

**UN NUMBER:** 2924

**PROPER SHIPPING NAME:** Flammable liquid, corrosive, n.o.s. (contains solvent naphtha, alkylarylsulfonic Acid)

**CLASS:** 3 (8)

**PACKING GROUP:** I, II, III

**SPECIAL PROVISIONS:**



**KT 1261C**  
**NOT FOR EXPORT TO EU**

Date of Preparation: 10/13

**SDS No. 30196**

Revision: 0

**PACKING GROUP I:** none  
**PACKING GROUP II:** none  
**PACKING GROUP III:** A3

**EXCEPTED QUANTITY**

**MAXIMUM PER INNER PACKAGE:**

**PACKING GROUP I:** Forbidden  
**PACKING GROUP II:** 30 mL  
**PACKING GROUP III:** 30 mL

**MAXIMUM PER PACKAGE:**

**PACKING GROUP I:** Forbidden  
**PACKING GROUP II:** 0.5 L  
**PACKING GROUP III:** 1.0 L

**LIMITED QUANTITY**

**PACKING INSTRUCTION:**

**PACKING GROUP I:** Forbidden  
**PACKING GROUP II:** Y340  
**PACKING GROUP III:** Y342

**MAXIMUM PER PACKAGE:**

**PACKING GROUP I:** Forbidden  
**PACKING GROUP II:** 0.5 L  
**PACKING GROUP III:** 1.0 L

**PASSENGER AIRCRAFT**

**PACKING INSTRUCTION:**

**PACKING GROUP I:** 350  
**PACKING GROUP II:** 352  
**PACKING GROUP III:** 354

**MAXIMUM PER PACKAGE:**

**PACKING GROUP I:** 0.5 L  
**PACKING GROUP II:** 1 L  
**PACKING GROUP III:** 5 L

**CARGO AIRCRAFT:**

**PACKING INSTRUCTION:**

**PACKING GROUP I:** 360  
**PACKING GROUP II:** 363  
**PACKING GROUP III:** 365



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

**MAXIMUM PER PACKAGE:**

**PACKING GROUP I:** 2.5 L  
**PACKING GROUP II:** 5 L  
**PACKING GROUP III:** 60 L

**ERG CODE:**

**PACKING GROUP I:** 3CH  
**PACKING GROUP II:** 3CH  
**PACKING GROUP III:** 3C

**IMDG**

**UN NUMBER:** UN2924

**PROPER SHIPPING NAME:** Flammable liquid, corrosive, n.o.s. (contains solvent naphtha, alkylarylsulfonic Acid)

**CLASS OR DIVISION:** 3

**SUBSIDIARY RISK(S):** 8

**PACKING GROUP:** I, II, III

**SPECIAL PROVISIONS:**

**PACKING GROUP I:** 274  
**PACKING GROUP II:** 274  
**PACKING GROUP III:** 223, 274

**LIMITED AND EXCEPTED QUANTITY PROVISIONS**

**LIMITED QUANTITIES:**

**PACKING GROUP I:** 0  
**PACKING GROUP II:** 1 L  
**PACKING GROUP III:** 5 L

**EXCEPTED QUANTITIES:**

**PACKING GROUP I:** E0  
**PACKING GROUP II:** E2  
**PACKING GROUP III:** E1

**PACKING**

**INSTRUCTIONS:**

**PACKING GROUP I:** P001  
**PACKING GROUP II:** P001  
**PACKING GROUP III:** P001

**PROVISIONS:**

**PACKING GROUP I:** ---



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

**PACKING GROUP II: ---**  
**PACKING GROUP III: ---**

**IBC**

**INSTRUCTIONS:**

**PACKING GROUP I: ---**  
**PACKING GROUP II: IBC02**  
**PACKING GROUP III: IBC03**

**PROVISIONS:**

**PACKING GROUP I: ---**  
**PACKING GROUP II: ---**  
**PACKING GROUP III: ---**

**PORTABLE TANKS AND BULK CONTAINERS**

**TANK INSTRUCTIONS:**

**PACKING GROUP I: T14**  
**PACKING GROUP II: T11**  
**PACKING GROUP III: T7**

**PROVISIONS:**

**PACKING GROUP I: TP2**  
**PACKING GROUP II: TP2, TP27**  
**PACKING GROUP III: TP1, TP28**

**EmS:** F-E, S-C

**STOWAGE AND SEGREGATION:**

**PACKING GROUP I:** Category E, Clear of living quarters.  
**PACKING GROUP II:** Category B. Clear of living quarters.  
**PACKING GROUP III:** Category A. Clear of living quarters.

---

---

**SECTION 15: REGULATORY INFORMATION**

---

---

**U.S. FEDERAL REGULATIONS**

**TSCA (TOXIC SUBSTANCE CONTROL ACT):** all of the components of this mixture are listed on the TSCA inventory.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** spills of this material are not reportable under 40 CFR part 302.4 (CERCLA)



KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

SDS No. 30196

Revision: 0

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

**311/312 HAZARD CATEGORIES:**

Immediate Hazard: yes / no

Delayed Hazard: yes / no

Fire Hazard: yes / no

Pressure Hazard: yes / no

Reactivity Hazard: yes / no

**313 REPORTABLE INGREDIENTS:** none

**CLEAN WATER ACT (CWA):** None of the chemicals in this product are listed as hazardous substances under the CWA.

**CLEAN AIR ACT (CAA):** None of the chemicals in this product are listed as a hazardous air pollutant (HAP). This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters.

**STATE REGULATIONS:**

**California:** 1,2,4 – Trimethylbenzene, CAS Number 95-63-6

**Massachusetts:** 1,2,4-Trimethylbenzene, CAS Number 95-63-6

**INTERNATIONAL REGULATIONS:**

**Persistent Organic Pollutants (United Nations):** not listed

**Initial List of Prior Informed Consent Chemicals (United Nations):** not listed

**Ozone Depleting Substances (Montreal Protocol):** not listed

**Greenhouse Gases (Intergovernmental Panel on Climate Change):** not listed

**CANADA WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS):** Class B3 – Combustible Liquid, Class D2 – IARC 2B Carcinogenicity, Class D2B – Skin/eye irritation, Class E – Corrosive Material at >1%

---

---

**SECTION 16: OTHER INFORMATION**

---

---

Prepared by: KMCO





KT 1261C  
NOT FOR EXPORT TO EU

Date of Preparation: 10/13

**SDS No.** 30196

Revision: 0

---

**Disclaimer: This product is FOR INDUSTRIAL USE ONLY. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.**

**KMCO believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness for any particular purpose, warranty of merchantability, or any other warranty expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of KMCO, KMCO expressly disclaims any and all liability as to any results obtained or arising from any of the product or reliance on such information.**

**For additional product information, please contact the KMCO Sales Office at (281) 272-4100.**